

MR-550[™] Loading Ramp Purchasing Guide

Inside this Guide:

The Top 3 Reasons why the MR-550[™] Ramp is a great choice for your box truck!



The Top 3 Reasons why the MR-550[™] Ramp is a great choice for your box truck!



1. Fast, Safe, and Easy

The MR-550[™] loading ramp for box trucks makes loading lawn equipment, tools or cargo *fast, safe and easy*.



2. One Person Operation

The spring-loaded, folding design of the MR-550[™] loading ramp allows *anyone* to *quickly* raise and lower the ramp.



RFIGHT

2

3. Strong and Wide

Install two MR-550[™] loading ramps side-by-side for a **1100** *lb.* weight rating and up to an 6 ft. wide ramp platform.

3 Ways to Save on Shipping Cost!

Ship to a commercial address and have a loading dock or forklift available to unload the ramp pallet, OR

Pick up the ramp at the nearest FedEx Freight location, OR

Come pick up the ramp at our shop: 1610 Peach Parkway, Fort Valley, GA 31030

www.superboxtruckramps.com

Measuring Your Box Truck to Ensure the Best Fit for Your MR-550[™] Ramps!

Please provide the following measurements and information so that we can help you select the best fitting ramps for your box truck! For additional instructions, watch the measurement guide videos at: https://superboxtruckramps.com/faq 1. Measure the interior door opening width inches 2. Measure the height from the ground to the top of inches the floor of the truck (cannot exceed 40") 3. Are the tail/reverse/brake lights on the back of YES NO your truck under the body? • If your rear lights are on the vertical door frame post, _ inches to bottom (3A) measure from the top of the floor to the bottom of the inches to top (3B) light assembly (3A) and from the top of the floor to the top of the light assembly (3B). 4. Are there any grab handles on the rear of your truck? YES NO • If there are, measure from the top of the floor to the bottom of the grab handle (4A) and from the top of the floor to the ____ inches to bottom (4A) top of the grab handle (4B). _____ inches to top (4B) 5. Measure your Outpost. (interior door opening to outside of box) exact inches **Recommended MR-550[™] Ramp Sizes:** 30" Set (One Left & One Right) 36" Set (One Left & One Right) One 30" Set & One 36" Set 5. ***Please note: MR-550[™] Ramps are NOT intended for use with 3-wheeled mowers or machinery.*** R www.superboxtruckramps.com 2

Complete this page to receive your custom MR-550[™] Ramp and shipping quote!

Please note: All ramps are built and shipped on a first come, first serve pre-pay basis. You can pay online, by phone or through this form to order your ramps!

Name:		
Company Name:		
Full Shipping Address:		
City:	State:	_ Postal Code:
Country:	_ Do you have a forklift or loading dock? YN	
Phone:	_Fax:	
E-mail:		
Master Card Visa	American Express	Discover
Credit Card #:		
Expiration Date:	CVC:	
Signature	Date:	
Billing Address (if different from shipping address):		
City:	State:	_ Postal Code:
Country:	_	
Providing this information gives your permission for Super fax and phone. By not specifying a credit card, y		-
Please e-mail or fax pages 2 and 3 <i>alo</i> sales@superlawntrucks.com or 478-822		
any questions. We look forward to building your MR-550 [™] Loading Ramps!		
www.superboxtruckramps.com		